

96 MOORE'S TIMBER YARDS AND SAW MILLS.

PRICE LIST JAMES MOORE & SONS LTD: AUGUST 1913

City Road, South Melbourne.

WE IMPORT AND STOCK

All kinds of Baltic, American, Canadian and other Foreign Timbers, Builders' and Household Ironmongery, Tools of all kinds, White Lead, Putty, Paints, Oils and Colors, Glass, Paperhangings, Cement, Slates, Plaster, Fencing Wire, Netting, &c.

Interstate Cable Address: MOORE, SONS, MELBOURNE

LOCALITY PLAN.

See back of this Price List
for quickest way to reach

James Moore & Sons Pty: Ltd:

See INDEX at bottom of this page
for all requirements.

TELEPHONES: Central 7626, 7627, 7628, 7629, 8116

WE MANUFACTURE

Doors, Sashes, Joinery, Butter Boxes and all kinds of cases, Wire Nails, Barbed Wire, Ridging, Spouting, Down Pipe, Tanks, Baths, Coppers, Chimneys. Stock sizes or to order.

Prices subject to Alteration without notice.

WRITE OR 'PHONE FOR TRAVELLERS TO CALL

NOTE.—2½ PER CENT. ALLOWED ON PRICES MONTHLY ACCOUNT

Except Special Joinery, which is Nett. To avoid delay in first transactions, send cheque or give satisfactory City reference. Cartage charged on all deliveries. Pro Forma Estimates Supplied.

FLOORINGS.

| | WHITE. | RED. | RIMU. | HOOPE. | KAURI. |
|--------------|--------|------|-------|--------|--------|
| 6 x 1½ T & G | 14/- | 15/- | 14/- | 21/- | 29/6 |
| 6 x 1¾ T & G | 11/- | 11/3 | 11/9 | 16/- | 23/6 |
| 6 x 2¼ T & G | 9/9 | 10/- | | | |
| 4 x 1½ T & G | — | 9/- | 10/6 | 15/- | 20/6 |
| 4 x 2¼ T & G | — | 7/- | 9/- | 11/- | 16/6 |
| 4 x 3¼ T & G | 6/- | 6/3 | — | — | — |

JARAH.

| | | | | | |
|------------------------------|-----|-----|-----|-----|------|
| 3½ x 2½ T & G, 5, 6, 7, 8ft. | ... | ... | ... | ... | 9/6 |
| Running lengths | ... | ... | ... | ... | 10/6 |
| 4 x 1½ T & G | ... | ... | ... | ... | 13/- |
| 4½ x 1½ T & G | ... | ... | ... | ... | 14/6 |
| TASMANIAN HARDWOOD. | ... | ... | ... | ... | — |
| 4½ x 7/... | ... | ... | ... | ... | 11/3 |
| 4 x 1½ T & G Pitch Pine | ... | ... | ... | ... | — |

LININGS.

| | White. | Red. |
|-------------------------------------|--------|------|
| 6 x 5/ T & G, and beaded | 8/6 | 8/9 |
| 6 x 5/ T & G, and beaded | 7/3 | 7/6 |
| 6 x 1½ T & G, beaded, centre beaded | 7/6 | 7/9 |
| 6 x 1½ T & G, beaded, triple beaded | 7/6 | 7/9 |
| 6 x 5/ T & G, and beaded | 6/- | 6/3 |
| 6 x 5/ Rebated, and beaded | 6/- | 6/3 |

V-JOINTED.

| | 4 x 5 | 4 x 1½ | 3½ x 1½ |
|-----------|-------|--------|---------|
| White | ... | 5/- | 4/6 |
| Red | ... | 5/3 | 5/- |
| Rimu | ... | 6/9 | 6/3 |
| Hoop Pine | ... | 10/- | 9/- |
| Kauri | ... | 13/- | 11/6 |
| Red Pine | ... | 10/- | 8/9 |
| Hardwood | ... | — | 7/6 |
| Blackwood | ... | — | — |
| Jarrah | ... | — | 8/- |

ROUGH LINING, OREGON, SPRUCE.

| | | | |
|--------------------------------|-----|-----|-----|
| 9 x 6 out 3-in. (about ½ full) | ... | 8/3 | 8/6 |
| 9 x 7 out 3-in. (about ⅓ full) | ... | 7/6 | 7/9 |
| 9 x 8 out 3-in. (about ⅔ full) | ... | 7/- | 7/3 |

WEATHERBOARDS.

| | White | Red |
|--------------------------------|-------|------|
| Plain | ... | 8/3 |
| Checked and Chamfered, Rebated | 8/3 | 8/6 |
| Round Edge | ... | 8/3 |
| Rusticated Beaded, 9 in. | ... | 17/6 |
| JARAH. | 18/6 | — |

| | | | | |
|---------------------|-----|-----|-----|------|
| Rebated | ... | ... | ... | 11/6 |
| Round Edge Hardwood | ... | ... | ... | 11/6 |
| Rusticated Hardwood | ... | ... | ... | 12/6 |

VICTORIAN WEATHERBOARDS.

| | | |
|-----------------------------------|-----|-----|
| Hardwood, Undressed Feather Edge. | ... | 6/6 |
| for Stablings, Outhouses, &c. | ... | 6/6 |

BLOCK FRONT.

| | | | | |
|-----------------|-----|-----|-----|------|
| 8 in. Red Pine | ... | ... | ... | 21/6 |
| 12 in. Red Pine | ... | ... | ... | 31/6 |

Picked lengths in Baltic from 3d. upwards

100 ft. lineal extra.

Other lines from 1/- 100 ft. lineal extra.

2nd quality Baltic 3d. less on all lines except 1½. 7

Red 6d. less.

4 in. Floorings lay better than 6 in. for linoleums

Tile Cut Weatherboards 1d. each cut.

Shot Edge Flooring, superior tongued & grooved

water does not lodge in joints.

Prices are all per 100 feet lineal.

INDEX.

page

| | | |
|-----------------------|-----|---|
| Boatbuilders' Wants | ... | 6 |
| Builders' Ironmongery | ... | 4 |
| Catalogues, &c. | ... | 7 |
| Cement, Lime, &c. | ... | 5 |
| Coachbuilders' Wants | ... | 6 |

HARDWOOD.

2 x 1 ... 2/9 | 3 x 1 ... 3/6

3 x 1½, 3 x 2, 4 x 3, 6 x 1 ... 12/-

4 x 1½, 4 x 2 ... 12/-

Other sizes from 1½- extra & upw'ds per 100ft. sup.

Hardwood Angle Rails 2 out of 4x 9/6 100ft. run.

Jarrah " 2 up to 10ft 11/-

Jarrah " 2 over 10ft 12/6.

Special quotations for truck loads of 2500 ft. super for up-country clients quoted direct from country mills. Usually one month for delivery this way.

OREGON.

Cut to sizes up to 32ft. lengths, 18/- 100ft. super. 33 to 40 19/-; 41 to 50, 22/6.

Selected quality, 2/- extra.

OREGON BOARDS (3 out of 3 in.): 10 and

11 x 1, 18/6; 12 x 1, 19/-; 14 x 1, 20/-; 16 x 1,

21/-; 18 x 1, 22/6

Oregon Dressed and Beaded Fascias—

7 x 1, 14/-; 8 x 1, 15/-; 9 x 1, 16/- per 100 run.

Oregon 2½ dressed for weatherboard stops, 6/6

Dressed Oregon supplied from selected quality unless otherwise stated.

JARAH.

Up to 7½ ft. 1ft. to 10ft. to 25ft.

3 x 1, 3 x 1½, 3 x 2, 4 x 1½ 14/6 14/6 15/- 15/6

3 x 3, 4 x 3 ... 15/- 17/6 18/6 19/-

4 x 4 ... 15/6 17/6 19/- 19/6

4 x 2 ... 14/6 15/- 16/- 16/6

5 x 1½, 5 x 2, 5 x 3, 5 x 4 16/- 17/6 18/6 19/-

5 x 5 ... 16/- 20/- 21/- 22/-

6 x 1, 6 x 1½ ... 18/- 19/6 20/6

6 x 2 ... 17/6 18/6 19/-

6 x 3, 6 x 4 ... 18/- 19/6 20/6 21/-

7 x 2, 8 x 1½, 8 x 2, 9 x 2 ... 20/6 21/- 22/-

7 x 3, 8 x 3, 9 x 1½ ... 20/6 21/- 22/-

8 x 4, 9 x 2½, 9 x 3, 9 x 4 ... 21/6 22/- 23/-

6 x 6, 8 x 6, 9 x 6 ... 22/6 23/- 24/-

10 x 2, 10 x 3, 11 x 2, 11 x 2½ ... 23/- 24/-

11 x 3 ... 23/- 23/6 24/6

12 x 2, 12 x 3 ... 23/- 23/6 25/-

12 x 4 ... 24/- 25/- 26/-

8 x 8, 9 x 9, 10 x 10 ... 24/- 25/- 26/-

12 x 6, 12 x 8 ... 25/- 26/- 27/-

12 x 9, 12 x 10, 12 x 12 ... 25/- 26/- 27/6

Special prices over 12 x 12, and lengths over 25 feet.

Jarrah is quoted subject to lengths and sizes being obtainable, otherwise will be cut from nearest sizes and extra coat charged

REDGUM.

Large sizes much cheaper than Jarrah.

Prices on application.

Bridge and heavy timbers in Redgum, Ironbark and

and Box supplied from country mills at low rates

Easy worked.

Freight much cheaper than Hardwood.

Fancy Woods ... 5

Freight List ... 7 and 8

Fencing Materials ... 2

Fruit Cases, &c. ... 6

Furniture Woods ... 5

Joinery ... 3

Mouldings ... 3

Paints and Oils ... 4

Undertakers' Wants ... 5

Useful Information ... 8

GALVANIZED IRON.

CORRUGATED 26 Gauge.

Per sheet. ORB. REDCLIFFE. GLOBE. SLIGHTLY DEFECTIVE.

4ft. ... 1/8½ ... 1/8 ... 1/7½ ... 1/3

5ft. ... 2/0½ ... 2/0 ... 1/1½ ... 1/10½

6ft. ... 2/4½ ... 2/4 ... 2/3 ... 2/2

7ft. ... 2/8½ ... 2/8 ... 2/6½ ... 2/5

8ft. ... 3/2 ... 3/1 ... 3/- ... 2/9½

9ft. ... 3/8 ... 3/7 ... 3/5 ... 3/3½

10ft. ... 4/2 ... 4/1 ... 4/0 ... 3/1½

Per ton. ORB. REDCLIFFE. GLOBE. SLIGHTLY DEFECTIVE.

5 to 8ft. £19/10 £19/- £18/2/6 £17/10

9ft. ... £20/5 £19/15 £18/17/6 £18/2/6

10ft. ... £21/½ £20/10 £19/12/6 £18/17/6

Approximate number of sheets to half-ton case—

5ft. 6ft. 7ft. 8ft. 9ft. 10ft.

118 98 84 73 65 59

SMALL CORRUGATIONS "ORB" IRON.

Per sheet 5 6 7 8 9 10

2½ 2/4½ 2/9 3/3 3/8 4/3 4/11 18/2/6 18/17/6 19/12/6

Springheads 8d. packet of 100 nails or 6d. lb.

CURVING.

Over or under 2½ d. sht. Half Circle 5d. sht.

Bullnose or O.G. 4d. Full Circle 9d. "

GALVD. PLAIN IRON—per sht., Queenshead.

24in. ... 28g. 1/9 ... 26g. 2/0 ... 24g. 2/7

30in. ... 2/3 ... 2/6 ... 3/2 ... 3/2

36in. ... 2/9 ... 3/0 ... 3/9 ... 3/9

SHELVINGS.

| | 12 | 14 | 16 | 18 x 8 |
|--|-----------|----------------|------|------------|
| American ... | 40/- | 42/- | — | |
| Yellow Pine ... | 37/6 | 41/8 | 41/8 | 41/8 |
| Red Pine ... | 32/- | 32/- | 33/- | 34/- |
| Oregon Selected ... | 23/- | 24/- | 25/- | 26/6 |
| Kauri, 1sts ... | 43/6 | 45/- | 46/- | 47/- |
| " 2nds ... | 37/6 | 39/- | 40/- | 40/6 |
| " 3rds ... | 28/- | 31/- | 32/6 | 34/- |
| Hoop Pine ... | 34/- | 35/- | 36/6 | 37/6 |
| White Pine, 1sts ... | 26/- | 27/- | 29/- | 32/- |
| " 2nds ... | 24/- | 25/- | 26/- | 30/- |
| Clear Pine ... | From 6½d. | per sup. face. | | |
| Rimu ... | 21/- | 22/- | 23/6 | 24/6 |
| LATHS — 4ft. 6in. Imp'd (American) 38/- | | | | |
| 4ft. 6in. 6out Wall Laths, 35/- | | | | per 10 ft. |
| 4ft. 6in. Ceiling 26/6 | | | | b'dls. |
| 4ft. 6in. Ceiling Scrap, 24/6 | | | | |

DEAL AND PINES.

Cut to Sizes 1 inch thick and over.
Red Deal, from 3½d. ft. sup. Red Pine, 30/- sup.
Spruce, from 2½d. ft. sup. Sugar Pine, from 6d.
Yellow Pine, " 5d. Clear Pine, " 8½d.
Shavings, Sawdust,
Firewood cuttings, splendid for winter lighting.

FIBRO CEMENT.

Largely used for internal and external lining
Fireproof and cool.
Sheets, 8ft. x 4ft., in cases
4-mil. 13 sheets; 5-mil. 10 sheets
4 millimetre, 2½ 5 millimetre, 2½ sq. rd.

PULP BOARDS.

Imitation Oak Finish, for wall or dado panels.
Sheets 8ft. x 2ft. 8in.

BUILDING PAPER**For Insulating.**

1 ply, 18/-; 2 ply, 24/-; 3 ply, 31/-; 4 ply, 40/-
3 ft. wide, 336 ft. long.

ALPINITE

A Permanent Cooling Material.
Fireproof, Soundproof, Germproof.
Sold in bales only, 30/- bale. Each bale
weighs 1½ cwt., and covers 40 sq. yds. 4in. thick

CORRUGATED GLASS.

For Skylights, corrugates with iron. No framing
required. Sheets 2ft. 3in. wide x 6ft., 2/3 sq. ft.

BACULA LATHING.

50 ft. Rolls, 1 ft. 6 in., 3 ft., 4 ft. 6 in., wide.
Labor saving. Walls will not crack. 1/6 sq. yd.

PALINGS.

VICTORIAN SPLIT ... 5ft., 21/-; 6ft. 26/-
JARRAH, SAWN ... 5ft., 20/-; 6ft. 25/-
HARDWOOD, SAWN ... — — 6ft. 21/-
CARDEN PAILINGS ... 5ft., 15/-; 6ft. 20/-

SPLIT POSTS AND RAILS.

Messmate Ironbark Box
5ft. 9in. x 7x3, per 100, 60/- — —
6ft. 6in. x 7x3½, " 75/- — —
9ft. x 7x2½, Rails, " 90/- — —
9ft. x 8x3, Rails, " 95/- — —

Truck loads of Posts, Rails and Palings, special
or above sizes supplied direct from splitting
stations at very reduced rates. Post your re-
quirements.

DROPPERS.

3 ft. 3 ft. 6 in. 4 ft.
2 x 1, per 100 ... 8/3 9/9 10/6
2 x 1½ " 10/6 12/3 14/-

Boring, 9d. per 100 holes extra.
Truck loads quoted direct from mills.
Reduced rates.

GATES.

Field, No. 971, 5 Rail, 10 x 5 ft., Iron Stay,
complete, 32/6
Sheep Hurdles, No. 978 ... 8 ft., 4/-; 9 ft., 4/6
Single Sheep Gates, Hardwood ... 3 ft., 10/-

SHEEP BOXES.

For Stud Sheep. Made to order.

STEEL GIRDER POSTS & DROPPERS.

Prices on application.

EXPANDING TRELLIS (Ready Made).

2, 3, 4, 4½, 5, 6, 7, 8 ft. height x 12 ft. when expanded.
2d. square foot.

TRELLIS LATHS.

Lattice Laths, 1½ in. - Dressed. Per 100 running ft
Oregon 2/9
Hardwood 2/9
Red Pine 3/3
Scaffold Poles from 2/- each.

3 x 1 PICKETS.

4ft. 4ft. 6in. 5ft. 6ft.
Hardwood, pointed ... 11/- 11/6 12/6
" square tops ... 11/- 11/6 12/6
Jarrah, square tops ... 15/- 16/- 17/- 17/6
Oregon, dressed, shaped 25/- 25/- 28/- —
Hardwood " From 18/-
Jarrah " 22/-
Hardwood, Gothic Pt., " 17/6
dressed 17/6

SPECIAL LININGS.**THREE-PLY ALDER.**

Cheapest, EASIEST Lining on the market.
In sheets from 36 x 36, 1½, 3d. per sq. ft.
Used for Ceilings, Rough Linings, Furniture
Backing, etc. See Prices Page 5.

THREE-PLY OAK, ASH, WALNUT.

In sheets 6 x 3. Used largely for Panellings,
Dadoes, Ceilings, Furniture, etc.
Oak, 6½d. Ash, 4½d. Walnut, 6d. per sq. ft.

COMPO-BOARD LINING.

Easiest fixed lining on the market.
In sheets 4ft. wide, 10, 11, 12, 14, 16 & 18ft. lengths

3d. per square foot on the face, or 1/- per foot
run, 4ft. wide. **Write for Samples.**

Cases contain 20 sheets each of 10, 11, or 12ft.

" 15 " 14, 16, or 18ft.

" Forwarded at risk of persons ordering same.

OILCLOTH LINING.

In rolls 6 feet wide, 30 to 50 yards long, 1½d. per
sq. foot; or 2½ a running yard, double width.
Beautiful Designs. Bright Finish. **Washable.**

Write for Samples.**PLASTER BOARDS.**

Latest substitute for plaster work.

Will not crack.

Gives results as good as Fibrous Plaster Boards
32 x 36 1½ each. Plaster to suit, 5/6 per bag.
Shipments to arrive only at present.

Write for samples.

KEYLOCK.

Interlocking Steel Lathing: Largely used for all
kinds Plaster work, rough casting, re-inforcing
and concrete work of all descriptions.

Sheets, 8ft. x 15 in. 1/6 per square yard.

Write for descriptive booklet.

ROUGH CAST.

Galvanised Sheets, 6ft. x 3ft. 5/- per sheet.
6ft. x 2ft. 3/6 ..

ASBESTOS**CORRUGATED ROOFING SHEETS.**

For Dairies and Cool Sheds, etc.

Greatly reduced temperature.

**FISH SCALE. METAL WALLING.
IMITATION BRICK. ROCK FACING.****FENCING MATERIALS.****FENCING WIRE.**

560 yds. per cwt. 880 yds. per cwt.

BLACK. — No. 8, 8/6; ... No. 10, 9/6

GALVANISED. — No. 8, 10/6; ... No. 10, 11/6

BARBED WIRE.

12g., 440 yd., 16/-; 14g., 730 yds., 17/6 cwt.

Galvd. Wire Staples, all sizes.

Wire Strainers, Electric 3/6 doz.

WIRE NETTING.

Coil.

24 x 2 x 19, 10/- 36 x 2 x 18. 16/-

24 x 2 x 18, 13/- 36 x 2 x 19, 11/6

24 x 3 x 16, 13/- 36 x 3 x 16, 17/6

24 x 4 x 16, 10/6 36 x 4 x 16. 15/6

30 x 2 x 18, 14/- 42 x 1½ x 17, 37/6

30 x 2 x 19, 11/- 42 x 1½ x 18, 29/6

30 x 3 x 16, 15/6 42 x 1½ x 17, 29/6

30 x 4 x 16, 14/- 42 x 1½ x 18, 25/-

36 x 1½ x 17, 32/- 42 x 1½ x 17, 26/6

36 x 1½ x 17, 26/- 42 x 1½ x 18, 21/6

36 x 1½ x 18, 20/- 48 x 2 x 18, 20/-

36 x 1½ x 17, 22/- 48 x 2 x 19, 16/-

36 x 1½ x 18, 18/- 72 x 2 x 18, 31/6

36 x 1½ x 19, 16/- 72 x 2 x 19, 26/6

Mile lots — ask for special quotation.
Prices subject to fluctuation of market.

GALVD. HOOP IRON.

2 x 20 ¾ x 20 1 x 20 1½ x 17 1½ x 16

640 500 430 250 180 ft. to ½ cwt coil

— 20/- cwt. — 19/- 18/- cwt.

POST HOLE DIGGER.

Standard 8 Pith Auger, or Post Hole Digger,
can be regulated to different size holes, viz.,
8, 9, 10, 11, 12, 13, 14 in. diameter 15/- each

CYCLONE SUNDRIES.

Spiral Spring, for attaching to hand gate, 2/6 ea.

Dead Sure Catch added to any gate 6d. extra

Self-closing Gate Bracket, set of fittings ... 7/6

Railway Gate Spring Catch... ... 3/6

CYCLONE DROPPERS.

28 in.... 6 gauge, 56/- ... 4 gauge, 84/- 1000

30 " ... 60/- ... " 90/- "

36 " ... 72/- ... " 108/- "

40 " ... 80/- ... " 120/- "

44 " ... 88/- ... " 132/- "

48 " ... 96/- ... " 144/- "

54 " ... 108/- ... " 162/- "

Loops, 4½d. lb. 1000 loops weight 5 lb.

Write for catalogue of illustrations, etc.

BATHROOM COMFORTS

Portable Enamel Bath, 40/- each.

Portable Enamel Shower, 15/- each.

Portable Enamel Screen, 35/- each.

"Moor" Bath Heater, Hot Water in a few minutes
with a handful of chips, 60/- each.

BATHS. 24g. Plain Iron 17/6. Shower 2/6 extra.

Cast Iron, Rolled Edge,

5 ft. 6 in., £6/10/- 6 ft., £6/15/- each

CHIMNEYS.

4ft. x 2ft. 6in. x 22in. ... Prices from 25/-

4ft. x 3ft. x 22in. ... " 30/-

WATERPIPE. — ½ in., 2½d. ¾ in., 3d., 1 in. 4d. ft.

Sockets, Tees, Bends, etc.

COPPERS.

8 10 12 14 16 18 20 gals.

Rivet'd 10/9 12/- 13/- 14/6 16/- 18/6 20/-

8 10 12 gals.

Special Stamped Coppers 13/- 16/- 17/6

Best Stamped Coppers 10 to 20 gals., 1/10 lb.

1 gallon = about 1 lb.

COPPER FRAMES.

10 12 14 16 18 20 gals.

Black Sheet Steel 12/6 13/6 14/- 15/- 16/-

Cast Iron ... 40/- 42/6 45/- 48/6 55/- 63/-

100 sold last year. Best on the Market.

DOUGLAS PUMPS. — All Sizes.

MYER'S LOW-DOWN PUMPS,

From 39/- each.

Write for particulars.

Over 100 sold last year. Best on the Market.

GENASCO DAMPCOURSE.

Rolls 72 ft. long.

4½ in., 6/3; 9½ in., 12/3; 14 in., 17/9; 18½ in., 23/3;

23 in., 27/6; 27½ in., 33/-

Not affected by contact with Lime or Cement.

Will not rot. Cheap and durable.

"GENASCO" ROOF COVERING.

Cheapest Roofing Material on the Market.

A Roll covers 200 square feet.

½-Ply, 17/6; 1-Ply, 22/-; 2-Ply, 28/-; 3-Ply, 35/-

Write for Samples.

Genasco Paint, Red or Black, 8/6 gal.

STEEL CEILINGS.

Makes Beautiful Artistic Ceilings, from 2/- per
sheet, 6ft. x 2ft. Write for Designs.

CYCLONE SPRING COIL FENCE.

No. of per No. of per

Height Lines Chain Height Lines Chain

26 in. ... 7 ... 6/- 36 in. ... 6 ... 5/6

30 in. ... 8 ... 6/6 36 in. ... 7 ... 6/-

36 in. ... 9 ... 7/6 42 in. ... 7 ... 6/6

42 in. ... 10 ... 8/- 46 in. ... 8 ... 7/-

48 in. ... 11 ... 8/6 50 in. ... 9 ... 7/6

58 in. ... 12 ... 9/6 58 in. ... 12 ... 9/6

Write for Cyclone Catalogue.

CYCLONE GATES.

MOULDINGS. Our Mouldings are the best machined in Melbourne. Run from Driest Clear Redwood. Large Stocks always on hand. Write for our Pattern Sheets.

ARCHITRAVES.

4 x $\frac{3}{8}$, 11/-; 5 x $\frac{3}{8}$, 14/-; 4 x 1 $\frac{1}{2}$, 14/-; 5 x 1 $\frac{1}{2}$, 16/6; 6 x 1 $\frac{1}{2}$, 18/6; 6 x 1 $\frac{1}{2}$, 20/6

MOULDINGS.

Base—3 $\frac{1}{2}$ x 1 $\frac{1}{2}$, 14/6; 3 $\frac{1}{2}$ x 1 $\frac{1}{2}$, 16/6; 3 $\frac{1}{2}$ x 1 $\frac{1}{2}$, 18/6; 4 $\frac{1}{2}$ x 1 $\frac{1}{2}$, 25/-

Bolection—2 $\frac{1}{2}$, 16/-; 3, 18/-

Bed—2 x 1, 7/6; 2 x 1 $\frac{1}{2}$, 10/-; 2 $\frac{1}{2}$ x 1 $\frac{1}{2}$, 12/6; 2 $\frac{1}{2}$ x 1 $\frac{1}{2}$, 13/6

Block Front (rebated)—8 x $\frac{3}{8}$, 21/6; 9 x $\frac{3}{8}$, 24/-; 10 x $\frac{3}{8}$, 27/-; 11 x $\frac{3}{8}$, 29/6; 12 x $\frac{3}{8}$, 31/6

Cap—3 x 2, 16/6; 3 $\frac{1}{2}$ x 2, 19/-; 3 $\frac{1}{2}$ x 2 $\frac{1}{2}$, 21/-; 3 $\frac{1}{2}$ x 2 $\frac{1}{2}$, 21/-; 4 x 2, 22/6; 4 x 2 $\frac{1}{2}$, 25/-; 4 x 3, 37/6; 5 x 3, 42/-

Crown—1, 6/-; 1 $\frac{1}{2}$, 7/-; 1 $\frac{1}{2}$, 8/-; 2 x 1 $\frac{1}{2}$, 10/6

PICTURE MOULDINGS.

1 1 $\frac{1}{2}$ 1 $\frac{1}{2}$ 2 3 4
White Pine ... 2/6 3/3 3/9 5/- 7/6 10/-

Rimu ... 2/6 3/3 3/9 5/- 7/6 10/-

Jap Oak ... 3/6 4/6 5/3 7/- 10/6 15/-

Amer. Oak ... 4/6 5/9 6/9 9/- 13/6 18/-

In quantities of not less than 1000 ft. at any one running.

SKIRTINGS.

S.F., 6 x $\frac{3}{4}$, 13/9; 7 x $\frac{3}{4}$, 16/-; 7 x $\frac{3}{8}$, 18/6; 9 x $\frac{3}{8}$, 24/-; D.F., 9 x $\frac{3}{8}$, 24/-; 11 x $\frac{3}{8}$, 29/6; 12 x $\frac{3}{8}$, 31/6

Taurus, 7 x $\frac{3}{8}$ 18/6, Bevelled grounds 4/6 100 ft.

Cornice—3, 10/6; 4, 12/6; 5, 15/6; 6, 20/-

Dado—1 $\frac{1}{2}$, 7/-; 1 $\frac{1}{2}$, 8/-; 2, 10/6

Insertion—1 $\frac{1}{2}$ x $\frac{3}{8}$, 5/-; 1 $\frac{1}{2}$ x $\frac{1}{2}$, 5/6; 1 $\frac{1}{2}$ x $\frac{3}{8}$, 6/6;

1 $\frac{1}{2}$ x $\frac{3}{8}$, 7/6

Neck—1 $\frac{1}{2}$ x 1, 6/6; 1 $\frac{1}{2}$ x 1 $\frac{1}{2}$, 8/6; 2 x 1 $\frac{1}{2}$, 10/6;

2 $\frac{1}{2}$ x 1 $\frac{1}{2}$, 13/-; 3 x 2, 16/6

O.G.—2, 6/6; 2 $\frac{1}{2}$, 7/6; 3, 8/6

If beaded 6d. per 100 ft. extra.

Ovolo—1, 6/6; 1 $\frac{1}{2}$, 8/-; 1 $\frac{1}{2}$ x 1 $\frac{1}{2}$, 8/6; 2 x 2, 11/6;

2 $\frac{1}{2}$ x 2 $\frac{1}{2}$, 17/-

Picture Rail—2 x 1, 9/-; 2 $\frac{1}{2}$ x 1, 10/6; 2 $\frac{1}{2}$ x 1 $\frac{1}{2}$, 12/-; 2 $\frac{1}{2}$ x 1 $\frac{1}{2}$, 13/6; 3 x 1 $\frac{1}{2}$, 15/- Transom—4 x 2, 22/6

RIMU AND WHITE PINE MOULDINGS.

Specially run if required at following prices:

Skirting ... 9 in., 18/6; 7 in., 13/-

Scotia ... 1 $\frac{1}{2}$ x 1 $\frac{1}{2}$ in., 5/6; 2 x 1 $\frac{1}{2}$, 7/6

Architraves ... 5 in., 11/6; 4 in., 9/-; 3 in., 7/6

Picture Rail ... 2 in., 6/-; 3 in., 8/-

Ovolo Moulding ... 1 $\frac{1}{2}$ in., 6/-

Insertion Mdg. 1 $\frac{1}{2}$ in. 4/- | Quarter Round, 5 in. 3/6

SCOTIAS.

1, 4/6; 1 $\frac{1}{2}$ x 1, 5/6; 1 $\frac{1}{2}$ x 1 $\frac{1}{2}$, 6/6; 1 $\frac{1}{2}$ x 1 $\frac{1}{2}$, 7/6;

1 $\frac{1}{2}$ x 1 $\frac{1}{2}$, 8/-; 2 x 1 $\frac{1}{2}$, 9/-; 2 x 2 10/6

BEADED SCOTIAS—1 $\frac{1}{2}$ x 1 $\frac{1}{2}$, 8/6; 2 x 1 $\frac{1}{2}$, 10/6;

2 $\frac{1}{2}$ x 1 $\frac{1}{2}$, 13/-; 3 x 2, 16/-

Cover Moulds 1 $\frac{1}{2}$ x $\frac{3}{8}$, Red Pine, 6/-; White Pine, 3/-

BEADS.

Angle (External and Internal)—1 in., 6/6; 1 $\frac{1}{2}$, 7/6

Parting— $\frac{1}{2}$ x $\frac{3}{8}$ in., 4/-

Staff— $\frac{1}{2}$ x $\frac{3}{8}$ in., 5/-; 1 $\frac{1}{2}$ x $\frac{3}{8}$ in., 7/-

Quarter Round—1 in., 6/6; 1 $\frac{1}{2}$ in., 7/6

Half Round—1 x $\frac{3}{8}$, 4/6; 1 $\frac{1}{2}$ x $\frac{3}{8}$, 5/-

Fly Wire—1 x $\frac{3}{8}$, 4/6; 1 $\frac{1}{2}$ x $\frac{3}{8}$, 5/-

HAND RAIL.

3 $\frac{1}{2}$ x 2 $\frac{1}{2}$, 4d. 4 x 3, 5d.

CARVED MOULDINGS.

Write for Patterns.

CABINET MAKERS MOULDINGS.

Run to any pattern, in quantities of not less than 500 ft.

WINDOW NOSING.

2 x 1 $\frac{1}{2}$, 10/6; 2 $\frac{1}{2}$ x 1 $\frac{1}{2}$, 13/6; 3 x 1 $\frac{1}{2}$, 15/-

ELECTRIC LIGHT CASING & COVER.

1 $\frac{1}{2}$ x $\frac{3}{8}$ 4/6 100 ft.

JOINERY.

WRITE for our up-to-date Illustrated Joinery Catalogue containing latest ideas in Doors, Windows, Sashes, &c. Our Joinery work is recognised by Architects as the best. School, Hall and Church Furniture a specialty.

DOORS.

Double Moulded or Top Panels prepared for glass. Red Pine or Yellow Pine.

| | |
|-------------------------------|--|
| 6.6 x 2.6 x 1 $\frac{1}{2}$ | ... 15/6 |
| 6.6 x 2.6 x 1 $\frac{1}{2}$ | ... 17/6 |
| 6.8 x 2.8 x 1 $\frac{1}{2}$ | ... 17/- 1 $\frac{1}{2}$ in. and 1 $\frac{1}{2}$ in. |
| 6.8 x 2.8 x 1 $\frac{1}{2}$ | ... 18/- Doors |
| 6.8 x 2.8 x 1 $\frac{1}{2}$ | ... 22/6 Finish |
| 6.10 x 2.10 x 1 $\frac{1}{2}$ | ... 19/6 1 $\frac{1}{2}$ in. Less than |
| 6.10 x 2.10 x 1 $\frac{1}{2}$ | ... 23/6 Sizes Given. |
| 7 x 3 x 1 $\frac{1}{2}$ | ... 24/6 |
| 7 x 3 x 2 | ... 27/- |

BEAD AND BUTT 1 $\frac{1}{2}$, 5/-; 1 $\frac{1}{2}$, 6/- extra.

BEAD AND FLUSH 1 $\frac{1}{2}$, 6/-; 1 $\frac{1}{2}$, 7/- ..

FRONT DOORS.

4-Panel, Bolection Mould—

Red Pine or Yellow Pine.

| | |
|-------------------------------|----------|
| 6.8 x 2.8 x 1 $\frac{1}{2}$ | ... 24/- |
| 6.10 x 2.10 x 1 $\frac{1}{2}$ | ... 30/6 |

4-Panel, Bolection Mould, Raised Panels—

Red Pine or Yellow Pine.

| | |
|-------------------------------|----------|
| 6.8 x 2.8 x 1 $\frac{1}{2}$ | ... 28/- |
| 6.10 x 2.10 x 1 $\frac{1}{2}$ | ... 34/6 |

SPECIAL FRONT DOORS.

6.8 x 2.8 x 1 $\frac{1}{2}$

| 3-PANEL. | 4-PANEL. | 5-PANEL. |
|------------------|------------------|------------------|
| No. R.P. or Y.P. | No. R.P. or Y.P. | No. R.P. or Y.P. |
| 836 30/- | 828 29/6 | 832 31/- |
| 837 46/- | 829 29/6 | 833 31/- |
| | 830 29/6 | |
| | 833 31/- | |
| | 834 31/- | |
| 836 36/6 | 828 36/- | 832 37/6 |
| 837 52/- | 829 36/- | 833 37/6 |
| | 830 36/- | |
| | 833 37/6 | |
| | 834 37/6 | |

As per our Joinery Catalogue.

LEDGE DOORS.

6.6 x 2.6 x $\frac{3}{8}$, 8/- ... 6.8 x 2.8 x $\frac{3}{8}$, 9/-

FRAME LEDGE.

6.8 x 2.8 x 1 $\frac{1}{2}$, 18/- ... 6.10 x 2.10 x 1 $\frac{1}{2}$, 20/-
7.0 x 3.0 x 1 $\frac{1}{2}$, 22/-

CASEMENT DOORS.

No. 847 21 oz. glass. No. 841 21 oz. glass.
6.10 x 2.10 x 1 $\frac{1}{2}$, 32/- ... 7.0 x 3.6 x 1 $\frac{1}{2}$, 42/-
7.0 x 3.0 x 1 $\frac{1}{2}$, 33/- ... 7.0 x 4.0 x 1 $\frac{1}{2}$, 48/-

FLY WIRE DOORS.

3 or 4-Panels.
6.6 x 2.6 x $\frac{3}{8}$, 8/9 ... 6.10 x 2.10 x 1 $\frac{1}{2}$, 13/-
6.6 x 2.6 x 1 $\frac{1}{2}$, 11/- ... 6.10 x 2.10 x 1 $\frac{1}{2}$, 14/-
6.8 x 2.8 x $\frac{3}{8}$, 9/- ... 7.0 x 3.0 x 1 $\frac{1}{2}$, 14/-
6.8 x 2.8 x 1 $\frac{1}{2}$, 12/- ...

Fly Wire Doors supplied in black, green or galvanized wire. Fly Wire Hinges, 9d. extra; Catches 9d. extra; Buttons, Studs & Plates 6d. extra. Please state when ordering if required.

TURNERY.

TABLE LEGS—2in., 2 $\frac{1}{2}$ in., 3in., 4in., 5in. set.

FINIALS. POST TOPS.

WINDOWS.

Sashes and Frames, Weights and Cord.

16 ozs. 2, 4, or 12 lights.

Narrow Sill. Wide Sill.

6.2 $\frac{1}{2}$ x 3.0 x 1 $\frac{1}{2}$... 30/6 ... 32/-

6.0 x 3.0 x 1 $\frac{1}{2}$... 29/6 ... 31/-

6.0 x 2.10 x 1 $\frac{1}{2}$... 28/6 ... 30/-

5.4 x 2.10 x 1 $\frac{1}{2}$... 25/6 ... 27/-

4.8 x 2.10 x 1 $\frac{1}{2}$... 24/- ... 25/6

4.0 x 2.4 x 1 $\frac{1}{2}$... 22/6 ... 23/6

21 oz. Glass, 2/- extra.

Size of opening is measured from under size of sill to under side of head and between pulley stiles

TRIPLET WINDOWS.

No. 855, 6.0 x 5.0 (size over all 6.3 $\frac{1}{2}$ x 5.7), centre sashes 6.0 x 2.10 x 1 $\frac{1}{2}$, 2 lights, 9in. side lights, plain glass, 16 oz., weights and cord, wide sill, 68/-.

6.0 x 5.2 (size over all 6.3 $\frac{1}{2}$ x 5.9), centre sashes, 6.0 x 3.0, 70/-.

Muranese Side Lights 3/- extra.

21 oz. Glass 2/- extra.

DUAL WINDOWS.

Sashes and frames, weights and cord, 16 oz., 2 pairs of sashes 1 $\frac{1}{2}$ each.

No. 853, 6.0 x 2.0 (size over all 6.3 $\frac{1}{2}$ x 5.1), 54/-

6.0 x 2.6 (size over all 6.3 $\frac{1}{2}$ x 6.1), 60/-

21 oz. glass, 4/- extra.

BAY WINDOW.

No. 887, box frame and sashes, centre 6.0 x 3.0, sides 6.0 x 2.0, 16 oz. glass, weights and cord, wide sill, £4/17/6; narrow sill, £4/10/-

21 oz. glass, 6/- extra.

CASEMENTS.

Casement Sashes in pairs, with rebated meeting style, 16 oz. glass, 1 $\frac{1}{2}$ in. sashes.

Sashes only. Sashes and Frame. Casement Sashes.

4.0 x 3.0 ... 12/- 20/- 3.0 x 1.6

4.6 x 3.0 ... 13/6 22/6 3.6 x 1.6

5.0 x 3.0 ... 15/- 25/- 4.0 x 2.0

21

JOINERY.

VERANDAHS.

| |
|---|
| Turned Oregon or Jarrah. |
| Posts. 8 9 10 Special quotations given for all kinds of Verandah Fin- |
| 5 x 5 ... 6/6 7/6 8/6 shings, Crazy |
| 4 x 4 ... 5/6 6/- 6/6 Pillars, Spindles, |
| Half-Posts ... 5/6 6/- 6/6 Sweeps, Brackets, |
| 5 x 2½ ... 3/9 4/3 4/9 Grilles and Friezes |
| 4 x 2 ... 3/3 3/6 3/9 Write for Cast Iron Frieze & Bracket Catalogue |
| CANTILEVERS AND DROPS. |
| 9 x 6 x 1½, 8d. ... 9 x 6 x 2, 9d. |
| Patras, 4 in. diameter ... 4d. each |

CARPENTERS' WORK.

Ladders up to 30 feet., painted, 1/4 per ft.
Stepladders, Unpainted ... 1/6 a step
Campbell's Patent Extension Ladders ... 1/6 ft.
Barrows, Navvy, Youths', Garden.
Wash Troughs, 2 compartments—
4ft. 6in.—1½ Kauri, 27/6 1½ Kauri, 32/6
5ft.—1½ Kauri, 32/6 1½ Kauri, 38/-
Oregon Stands, 4/6 extra.
Hardwood Stands, 3/6 extra.

CLOSET SEATS.

| | | | |
|---------------------|-----|-------------|-----|
| 3ft. 6in. x 24 x 1 | 5/3 | 4 x 24 x 1 | 5/9 |
| 3ft. 6in. x 24 x 1½ | 6/3 | 4 x 24 x 1½ | 7/- |
| Hinged Lid extra. | | | |

Miller's Patent No. 3

GARDEN SEATS.

5ft., Locally Made ... from 20/- each
Verandah Seats. Deck Chairs, from 3/6 each

CHAIRS.

BUILDERS' IRONMONGERY.

LOCKS.

| | |
|-------------------------|------------------------|
| 6in., Vaughan's, 2/6. | American Drawback, 4/- |
| 6in., Carpenter's, 4/6. | American Mortise Lock |
| 4in., American, 1/6. | Sets, from 3/- |

HINGES.

| | |
|---|----------------------|
| Tee and Screws, 2d. in. | Hook and Eye any |
| Butts and Screws, 2d. in. | length on plate 4½d. |
| Scotch Tees and Screws, to screw, or bolt | 1 lb. |

1½d. inch. to drive

Spring Hinges and Screws, 9d. pair.

LATCHES.

| | |
|--|--------------------------|
| Norfolk, 9d. each. | D Latches, 6d. each. |
| Yale Latches, 5/6 each. | Mortise Latches, 6d. ea. |
| American Gate, self-closing, 1/- pair. | Surface Latches, 9d. ea. |

DOOR FURNITURE.

| | |
|--------------------------|-----------------|
| Knobs, Bronze, from 1/6; | Brass, from 3/- |
| Knockers ... 1/6; | ... 3/- |
| Bells, rotary, from 2/6 | |

Postal Door Handles, solid brass, from 4/- each.

SASH FURNITURE.

| | | | |
|------------------------|-------------|-------------|-------|
| Bronze | Brass | China | Brass |
| Fasteners, 6d. and 8d. | 8d. and 1/- | 1/- and 1/6 | |
| Lifts ... 4d. pair. | 6d. pair. | | |

Pivots, 6d. set. Cord, from 1/- lb.

Weights, from 1½d. lb.

FANLIGHT FURNITURE.

| | |
|-------------------------------------|-----|
| Fanlight Openers, Preston's, Bronze | 2/6 |
| " " Beanland's | 2/- |
| " " Preston's, Brass | 3/6 |

TRANSOM FURNITURE.

| | |
|------------------------------------|-----|
| Transom Lifts, Heavy, 4 ft. Bronze | 1/6 |
| " " Antique | 2/- |

HAT AND COAT HOOKS.

| | |
|-------------------------|----------------------|
| Japanned, from 1/- doz. | Brass, from 5/- doz. |
| Bronze, from 2/3 doz. | |

HOUSEHOLD IRONMONGERY.

We carry a complete stock of all lines. Write for our Priced Illustrated Household Ironmongery Catalogue. Any little thing you want will be mailed by return post.

GARDEN HOSE.

NAILS AND BOLTS.

| Gauge. | per cwt. | Gauge | per cwt. |
|--------|----------|-------|----------|
| 4 to 7 | 17/- | 12 | 20/- |
| 8 | 17/6 | 13 | 20/6 |
| 9 | 18/- | 14 | 21/6 |
| 10 | 18/6 | 15 | 22/- |
| 11 | 19/3 | 16 | 22/- |

By the lb.

| | |
|-----------------------------------|------------------------|
| 1in., 1½in., 1¾in., 3d. | 2in. to 6in., 2½d. lb. |
| Ewbanks, Deck Spikes, Steel Nails | 3d. .. |
| Boat Nails and Ropes, Copper | 1/6 .. |

Galvanized, from 6d. ..

BRADS.

| | |
|--|---------------|
| Oval Wire Floor, 2, 2½, 2½ | ... 21/- cwt. |
| Finishing Brads ¼, 8d.; 1, 6d.; 1½ up, 5d. lb. | |

SCREWS.

| | |
|--|---------------------|
| Iron and Brass, ½ to 4in., all gauges, | quoted as required. |
|--|---------------------|

BOLTS.

| | |
|--|----------------------|
| Ordinary ½in., 4½d. lb. Barrel, 1½d. in. | |
| " ½in., 4d. | Pad. Galvd. 2½d. in. |
| " ½ to ¾in., 3d. .. | Tower, 1d. in. |
| " 1in., 2½d. | |

CENTRE FLOWERS.

| | |
|---|--|
| Stamped from 12 to 36 inch, diameter, 2/- up. | |
| Write for Illustrations. | |

OVENS AND STOVES.

| | |
|--------------------------|--|
| Gem Brand. | |
| Write for Illustrations. | |

FLY-WIRE WINDOW SCREENS.

| | |
|------------------------------------|--|
| Open and Close to suit any window. | |
| Japanned, 4/- each. | |

SEWING MACHINES.

The "Cleveland" best on the market, only 90/-

TOOLS.

We carry a complete stock of all kinds of Tradesmen's and Farmer's Tools and Implements. Write for our Priced Illustrated Tool Catalogue.

SEPARATORS.

Milk. Few left £6/-

COLORS.

| | |
|-------------------------|---------------------------|
| Brunswick Green, 4d. lb | Ultramarine Blue, 1/1 lb |
| Bronze Green, 6d. lb | Prussian Blue, 3/- lb |
| Chinese Red, 8d. lb | Celestial Blue, 5d. lb |
| Indian Red, 6d. lb | Purple Brown, 4d. lb |
| Venetian Red, 3d. lb | Spanish Brown, 4d. lb |
| Vegetable Black, 1/3 lb | Yellow Ochre, 3d. lb |
| Lamp Black, 6d. lb | Yellow Chrome, 1/- lb |
| Drop Black, 1/6 lb | Lemon Orange, 1/- lb |
| Rose Pink, 1/6 lb | Vermillionette, 1/- lb |
| Whiting, 1d. lb | All other colors stocked. |

VARNISHES.

| | |
|------------------------|----------------------------------|
| English, 12/- | Blundell & Spence's |
| Colonial, 10/- | Fine Oak, 12/- |
| Elastic Carriage, 14/- | |
| Black Japan, 15/- | Fine Hard Church |
| Goldsized, 12/- | Oak, 12/- |
| | Spirit Brown and White Hard, 5/- |

| | |
|--|--------|
| | 21 oz. |
| | 21 oz. |

| | |
|--|--------|
| | 26 oz. |
| | 26 oz. |

| | |
|--|----------------------------------|
| | Cathedral, our own special tints |
| | Muffled Cathedral |

| | |
|--|----------|
| | ruby ... |
| | ruby ... |

| | |
|--|--|
| | Rolled Plate ... ½, 6½d. ; ½, 8d. ; ½, 9d. |
| | Leadlights ... from 3/- .. |

| | |
|------------------------|------------------------------|
| | Plate, Silver Bevelled Glass |
| quoted on application. | |

| | |
|--|----------------------------------|
| | Write for samples Colored Glass. |
| Diaphan for windows, Imitation Lead Lights, 18½ in. wide from 2/- yard. Write for samples. | |

VENTILATORS.

| | |
|--|------------|
| Galvanized Air-Grates, 9 x 3, 6d. ; 9 x 6, 9d. | |
| Terracotta | 7d. ; 10d. |
| Zinc | 8d. ; 10d. |

Plaster

Hit or Miss Zinc, with Knob—

9 x 3, 1/2; 9 x 6, 1/4

Public Board of Health Inlet and Outlet, 9 x 6, 12 x 6, for 4 inch studs, and Exhaust Ventilators from 6 to 24 inch, with Vent Pipes, Hoppers and Lead Flashing quoted on application.

FLOOR CRAMPS.

Bissell's Pat. 14/- each

SCAFFOLD BRACKETS.

Portable, light, easily erected, strong and secure. 12/6 each. Call and inspect.

VENETIAN BLINDS.

From 8d. ft. sup. face

PERFORATED ZINC.

—4/- sheet.

WIRE GAUZE.

| | |
|--------|----------|
| Black. | Green.</ |
|--------|----------|

CEMENT.

Black Eagle, 13/- cask By the lb., 14 lbs., 1/
K.B., ... 15/- " Drayloads, 9 casks.
Truckloads, 32 casks

LIME.

Lilydale 4/-, Waratah 3/4, Coimadai 3/4, Lara
Lara (Ground) 3/3, Heads 3/4, Geelong 3/- per bag
including Bags.

Manure Lime, prices on application.

Drayload 16 bags.

PLASTER.—King's Windsor, 18/-;

German, 17/6; By the lb., 1½d.

PLASTERER'S HAIR.—4/- bag.**SAND.**—7/6 Drayload of 1½ yards.**EARTHENWARE GOODS.**

Forwarded at risk of persons ordering same.

Drain Pipes—

3in., 9d.; 4in., 9d.; 6in., 1/2; 9in., 1/6; 12in., 3/-
Bends, Elbows, Junctions, usual extra.

Agricultural Drain Pipes—

2in., 6/-; 3in., 10/- 4in., 15/- 6in., 45/- 100 pipes
Sinks, Traps, Siphons, Gullies, etc., supplied.

CHIMNEY POTS.—From 3/6 each.

Write for patterns.

BRICKS.—From 40/- upwards at kiln, nett.

Fire Bricks, 16/- 100.

FIRE CLAY.—5/- cwt.**SLATERS BATTENS.**—15 out 9 x 3 Deal, 4/-

" " Spruce, 3/6

SLATES, TILES, RIDGING TILES,**HEARTHSTONES, SLATE SLABS, Etc.,**

quoted on application.

COAL TAR.—

8d. gallon, drum 1/6 extra, 6½d by the cask.

KAURI and GENERAL FURNITURE WOODS.

| Widths— | Boards and Planks, 1 to 3 inches Thick. | | | | | Squares. | | | | | Chair Rails. | | | | | Thin Sizes—Kauri, New Zealand. | | | | |
|----------------------------|---|------------------------|------|------|------|----------|----------------------|----------------------|----------------------|----------------------|--------------|---------|------------|-----------|------|--------------------------------|------|------|------|------|
| | 4½ | 6 | 12 | 14 | 16 | 18 | 1½ x 1½ to 2½ x 2½ | 3 x 3 10 | 4 x 4 to 4½ x 4½ | 5 x 5 to 6 x 6 | 2 x 1 | 3 x 1 | Widths. | ¾ | ½ | ¼ | ¾ | ½ | | |
| | 9 | 9 | 12 | 14 | 16 | 18 | 2 to 4 ½ feet & over | 2½ x 1½ | 2½ x 1½ | 4½, 6½, 9, | 1sts | 37/6 | 34/6 | 28/- | 23/- | 16/6 | |
| Kauri, New Zealand | 1sts | 41/6 | 41/6 | 43/- | 44/- | 45/- | — | — | — | — | — | — | 12 in. | 1sts | 38/6 | 35/- | 29/- | 23/6 | 17/6 | |
| | 2nds | 35/6 | 35/6 | 37/- | 38/- | 38/6 | 22/- | 24/6 | 23/- | 25/6 | 24/- | 26/6 | 26/- | 2nds | 33/- | 30/6 | 25/6 | 20/6 | 15/6 | |
| Zealand | 3rds | 26/- | 28/- | 29/- | 30/6 | 32/- | 18/- | 20/6 | 19/6 | 22/- | 20/6 | 23/- | 22/6 | 25/- | 26/- | — | — | 16/6 | 12/6 | |
| Kauri, Q. Ind. | lots | 38/6 | 38/6 | 40/- | 41/- | 42/- | — | — | — | — | — | — | — | 3rds | — | — | — | — | 17/6 | |
| White Pine | 1sts | 20/- | 24/- | 25/- | 27/- | 30/- | — | 17/6 | — | 17/6 | — | 17/6 | 17/6 | 14 in.... | 1sts | 39/6 | 36/- | 30/- | 24/6 | 17/6 |
| | 2nds | — | 20/- | 21/- | 23/- | 26/- | — | — | — | — | — | — | — | 3rds | — | — | — | — | 17/- | |
| White Pine (1000 ft. lots) | 1sts | Prices on Application. | | | | | — | — | — | — | — | — | — | 16 in.... | 1sts | 40/- | 37/- | 30/6 | 24/6 | 18/- |
| Rimu | 1sts | 18/9 | 18/9 | 20/- | 21/3 | 22/6 | — | 17/6 | — | 20/- | — | 21/3 | — | 17/6 | 2nds | 35/- | 32/- | 27/6 | 21/6 | 16/6 |
| Rimu (1000 ft. lots) | 1sts | Prices on Application. | | | | | — | — | — | — | — | — | — | 3rds | — | — | — | — | 17/6 | |
| Hoop Pine | 1sts | 28/- | 31/- | 32/- | 33/6 | 34/6 | — | — | — | — | — | — | — | 18 in.... | 1sts | 41/6 | 38/- | 31/6 | 25/6 | 19/- |
| Hoop Pine (1000 ft. lots) | 1sts | Prices on Application. | | | | | — | — | — | — | — | — | — | 2nds | 36/6 | 33/6 | 28/- | 22/6 | 17/- | |
| Redwood | — | 30/- | 30/- | 30/- | 30/- | 30/- | — | — | — | — | — | — | — | 3rds | — | — | — | — | 19/- | |
| Blackwood | — | 31/6 | 33/6 | — | — | — | — | 17/6 | — | 20/- | — | 29/- | — | 17/6 | — | — | — | — | 14/6 | |
| Blackwood (1000 ft. lots) | — | Prices on Application. | | | | | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Hardwood Furniture Boards | Dry | 25/- | 27/6 | — | — | — | — | 20/- | — | 20/- | — | 20/- | — | 17/6 | — | — | — | — | — | |
| | Green | 17/6 | 25/- | — | — | — | — | 17/6 | — | 17/6 | — | 17/6 | — | 15/- | — | — | — | — | — | |

KAURI FLITCHES.**WIDE BOARDS.****LONG LENGTHS.**

12 to 24, 39/-; 25 to 30, 43/-; 31 to 35, 50/-;
36 to 40, 55/-

Wide Boards—24, 6d.; 25 to 30, 7d.; 31 to 36, 8d.

Long Lengths 27 feet and over—

Nearest stock width sent.

1, 6d.; ¾, 5½d.; ½, 5d.; ¼, 4d.; ¾, 3½d.

FANCY WOODS.

500ft. parcels. Delivery at one time. Any one kind.

Ex yard.

ex yard as required.

under 12in. wide, 12in. wide & over.

Sizes under 1in. thick.

under 12in. wide, 12in. wide & over.

COACHBUILDERS' TIMBERS.

PANELLING.

| | Dressed, Finished Sizes. | | FRAMING TIMBER. |
|------------|--------------------------|---------------------|--|
| Widths | 12 | 14 | Picked Bluegum |
| Kauri 1sts | 43/6 42/6 39/- 33/- | 45/- 43/6 40/6 34/- | Tasmanian Hardwood |
| Hoop Pine | 33/- 33/- 31/- 27/- | 34/- 34/- 31/- 27/6 | " Yellow Stringybark |
| | 16 | 18 | Yellow Stringybark is very similar to Box. |
| Widths | 12 | 14 | Best Framing Timber on the market. |
| Kauri 1sts | 46/- 44/- 41/- 34/6 | 47/- 45/6 42/6 35/6 | |
| Hoop Pine | 35/6 35/6 33/- 28/- | 36/6 37/- 34/6 29/6 | |

WHEEL MATERIAL, Etc.

Spokes, Rims, Feloes, Shafts, Bars,
Hubs for light or heavy work.
Hickory or Australian Timbers supplied.

BOATBUILDERS' TIMBERS.

Special attention paid in picking Jarrah Keels,
Oregon Masts, Kauri Planking,
Blackwood, Bluegum Timbers, Blackwood
Combings, etc.

Natural Baltic Spars for Yachts in stock.
Boat Knees of all shapes.
Selected Spruce for Scull Making.

Tek planks kept. Lignum Vitæ, etc.
Oars supplied.
Copper Boat Nails and Ropes in stock.

BOX AND CASE DEPARTMENT.

We turn out the very best boxes at the cheapest price. Send us a list of your requirements.

FRUIT CASE PRICE LIST.—Nett delivered at Spencer Street Station or Boat.

GREEN FRUITS.

| | | |
|-------------------------------------|---------------------|---|
| Standard Bushel | 7½d. | NOTE.—Bushel Cases |
| Half Bushel... | 6d. | deliv'd after Nov. 1, 1913, will be 9d. ex. |
| Grape Bushel | 7½d. | |
| Export Apple, all Softwood | ... 1/- | |
| " all Hardwood | ... 10d. | |
| " Softwood ends, Hardwood sides | ... 11d. | |
| Banana Cases | ... 1/3 | |
| Bushel Case Lids | ... 10/6 100 pieces | |
| Bushel Case Ends | ... 9/- " | |
| Export Apple Lids | ... 12/6 " | |
| Export Apple Ends | ... 20/10 " | |
| Peach and Pear Trays, in nests of 3 | ... 1/6 nest | |
| Half Pear Case, without holes | ... 8d. each | |
| " with holes | ... 8½d. " | |

Strawberry Crates and Slides, 24 lbs. 2½d nest
32 lbs., 2/7½ 40 lbs., 2/10½ "

N.B.—A truck contains about 500 bushel cases, 1500 half-bushel cases, 350 nests peach or pear trays, 500 export apple cases.

DRYED FRUITS.

| | | | | | | | |
|--|------|-----------------|-----|------|------|-----|--------|
| Raisins | 56 | 28 | 25 | 20 | 10 | 7 | 5 lbs. |
| In Shooks | 9½d. | 7d. | 7d. | 6½d. | 5½d. | 5d. | |
| Made Up | 10d. | 7½d. | 7d. | 6½d. | 5½d. | 5d. | |
| Dressed, | 1d. | per case extra. | | | | | |
| Sides, Tops or Bottoms for 56 lb. Raisin Boxes | | | | | | | |
| 13/- 100 pieces 7 in. wide. | | | | | | | |
| Drying Trays, 3 x 2, ordinary, 7 out 3 ... | 10d. | | | | | | |
| with T & G bottoms, 10d. with Rim, 1/6 | | | | | | | |
| Drying Trays, 4 x 2, ordinary, with rim | | | | | 2/- | | |
| Drying Trays, 6 x 3, ends checked | | | | | 3/3 | | |
| With T & G bottoms | | | | | 3/3 | | |

Sweat Boxes, 3 and 4 out... 3/-
Picking Boxes, 19½ x 13½ x 9 ... 1/3 each
Cleats, T & G Boards, etc., at lowest rates.

Butter Boxes, ordinary cube 1/4
Aerated Water and Beer Crates, Cheese, Rabbit,
Transit Rabbit Crates, Poultry Crates, and
all kinds of cases.
Post us list of your requirements.



CASEMAKING TIMBER.

White Pine, 2nd quality, up to 11 x 1 14/6 100 sup.
Spruce Deals, 6 to 8 x 3 ... 4½d. per ft. as 9 x 3
9 x 3 ... 5d. "
10, 11, 12 x 3 ... 5d.
Gong Gong Pine, 6 to 12 x 3, 13/- 100 ft. sup.

Write for Standard Designs 1 to 6 Room Houses, Mechanics Institute or Church for Country requirements, or send us full particulars of what you want in this line.

MOORE'S Standard Design of a Four-Roomed House

11 ft. Walls. With and Without Verandah.
Brick Chimney. 4 ft. 6 in. Passage. 5 ft. Verandah.



WRITE FOR:

CATALOGUES—No. 1 Joinery, Doors, Windows, Sashes, etc.; No. 2 Household Ironmongery;
No. 3 Tool List, Farmer's and Tradesmen's Tools; No. 4 Cast Iron Frieze;
No. 5 Metal Ceilings; No. 6 Cyclone Gates; No. 7 Stoves and Ovens.

SAMPLES—No. 1 Compoboard; No. 2 Genasco; No. 3 Oilcloth Linings.

BUILDINGS of any kind send a rough plan of your requirements.

CARD—Color Card Decorene Cold Water Paint for Inside Work.

DESIGNS—No. 1 Standard Houses, Mechanics Institutes, Churches, etc.; No. 2 Church Seats;
No. 3 Mantelpieces.

PAMPHLETS—No. 1 about Malpas, White Ant Exterminator and Fruit Tree Sprayer; No. 2
Keylock Lathing.

PORTABLE MOTOR GARAGES, in sections constructed wholly of Iron, Angle Iron Framing,
absolutely fire-proof. Any size made to order. Write for particulars and prices.

MOORE'S RAILWAYS FREIGHT LIST.

FLOORINGS, LININGS, WEATHERBOARDS, &c.

WHITE. Per 100 ft. Lineal.

| Miles | 6 x 3/8 | 6 x 1/2 | 6 x 5/8 | 6 x 3/4 | 6 x 7/8 | 6 x 1 1/8 | Weatherboard |
|-------|---------------|---------------|---------------|---------------|---------------|-----------------|--------------|
| 5 | 0 | 1 | 0 | 1 | 0 | 2 | 0 |
| 10 | 0 | 1 | 0 | 1 | 0 | 2 | 0 |
| 15 | 0 | 1 | 0 | 2 | 0 | 3 | 0 |
| 20 | 0 | 2 | 0 | 2 | 0 | 3 | 0 |
| 25 | 0 | 2 | 0 | 3 | 0 | 4 | 0 |
| 30 | 0 | 2 | 0 | 3 | 0 | 4 | 0 |
| 35 | 0 | 3 | 0 | 4 | 0 | 5 | 0 |
| 40 | 0 | 3 | 0 | 4 | 0 | 5 | 0 |
| 45 | 0 | 3 | 0 | 5 | 0 | 6 | 0 |
| 50 | 0 | 4 | 0 | 4 | 0 | 6 | 0 |
| 55 | 0 | 4 | 0 | 5 | 0 | 6 | 0 |
| 60 | 0 | 4 | 0 | 5 | 0 | 7 | 0 |
| 65 | 0 | 5 | 0 | 6 | 0 | 7 | 0 |
| 70 | 0 | 5 | 0 | 6 | 0 | 8 | 0 |
| 75 | 0 | 5 | 0 | 6 | 0 | 8 | 0 |
| 80 | 0 | 6 | 0 | 7 | 0 | 9 | 0 |
| 85 | 0 | 6 | 0 | 7 | 0 | 9 | 0 |
| 90 | 0 | 6 | 0 | 7 | 0 | 10 | 0 |
| 95 | 0 | 7 | 0 | 8 | 0 | 10 | 0 |
| 100 | 0 | 7 | 0 | 8 | 0 | 11 | 0 |
| 105 | 0 | 7 | 0 | 9 | 0 | 11 | 0 |
| 110 | 0 | 8 | 0 | 9 | 1 | 1 | 0 |
| 115 | 0 | 8 | 0 | 9 | 1 | 1 | 0 |
| 120 | 0 | 8 | 0 | 10 | 1 | 1 | 1 |
| 125 | 0 | 9 | 0 | 10 | 1 | 1 | 1 |
| 130 | 0 | 9 | 0 | 11 | 1 | 2 | 1 |
| 135 | 0 | 9 | 0 | 11 | 1 | 2 | 1 |
| 140 | 0 | 10 | 0 | 11 | 1 | 3 | 1 |
| 145 | 0 | 10 | 1 | 0 | 1 | 3 | 1 |
| 150 | 0 | 10 | 1 | 0 | 1 | 4 | 1 |
| 155 | 0 | 10 | 1 | 0 | 1 | 4 | 1 |
| 160 | 0 | 11 | 1 | 1 | 1 | 5 | 1 |
| 165 | 0 | 11 | 1 | 1 | 1 | 5 | 2 |
| 170 | 0 | 11 | 1 | 1 | 1 | 5 | 2 |
| 175 | 0 | 11 | 1 | 2 | 1 | 6 | 2 |
| 180 | 0 | 11 | 1 | 2 | 1 | 6 | 2 |
| 185 | 0 | 1 | 0 | 1 | 2 | 6 | 2 |
| 190 | 1 | 0 | 1 | 2 | 1 | 7 | 1 |
| 195 | 1 | 0 | 1 | 3 | 1 | 7 | 1 |
| 200 | 1 | 0 | 1 | 3 | 1 | 8 | 1 |
| 205 | 1 | 1 | 1 | 3 | 1 | 8 | 2 |
| 210 | 1 | 1 | 1 | 4 | 1 | 8 | 2 |
| 215 | 1 | 1 | 1 | 4 | 1 | 9 | 2 |
| 220 | 1 | 1 | 1 | 4 | 1 | 9 | 2 |
| 225 | 1 | 2 | 1 | 4 | 1 | 9 | 2 |
| 230 | 1 | 2 | 1 | 5 | 1 | 10 | 2 |
| 235 | 1 | 2 | 1 | 5 | 1 | 10 | 2 |
| 240 | 1 | 2 | 1 | 5 | 1 | 10 | 2 |
| 245 | 1 | 3 | 1 | 6 | 1 | 11 | 2 |
| 250 | 1 | 3 | 1 | 6 | 1 | 11 | 2 |
| 255 | 1 | 3 | 1 | 6 | 1 | 11 | 2 |
| 260 | 1 | 3 | 1 | 6 | 1 | 11 | 2 |
| 265 | 1 | 3 | 1 | 6 | 2 | 0 | 2 |
| 270 | 1 | 3 | 1 | 6 | 2 | 0 | 2 |
| 275 | 1 | 3 | 1 | 6 | 2 | 0 | 2 |
| 280 | 1 | 3 | 1 | 7 | 2 | 0 | 2 |
| 285 | 1 | 4 | 1 | 7 | 2 | 1 | 0 |
| 290 | 1 | 4 | 1 | 7 | 2 | 1 | 0 |
| 295 | 1 | 4 | 1 | 7 | 2 | 1 | 0 |
| 300 | 1 | 4 | 1 | 7 | 2 | 1 | 0 |
| 305 | 1 | 4 | 1 | 7 | 2 | 1 | 0 |
| 310 | 1 | 4 | 1 | 8 | 2 | 1 | 0 |
| 315 | 1 | 4 | 1 | 8 | 2 | 1 | 0 |
| 320 | 1 | 4 | 1 | 8 | 2 | 1 | 0 |
| 325 | 1 | 5 | 1 | 8 | 2 | 2 | 0 |
| 330 | 1 | 5 | 1 | 8 | 2 | 2 | 0 |
| 335 | 1 | 5 | 1 | 8 | 2 | 2 | 0 |
| 340 | 1 | 5 | 1 | 8 | 2 | 2 | 0 |
| 345 | 1 | 5 | 1 | 8 | 2 | 3 | 0 |
| 350 | 1 | 5 | 1 | 9 | 2 | 3 | 0 |
| 355 | 1 | 5 | 1 | 9 | 2 | 3 | 0 |
| 360 | 1 | 5 | 1 | 9 | 2 | 3 | 0 |

RED. Per 100 ft. Lineal.

| Miles | 6 x 3/8 | 6 x 1/2 | 6 x 5/8 | 6 x 3/4 | 6 x 7/8 | 6 x 1 1/8 | Weatherboard |
|-------|---------------|---------------|---------------|---------------|---------------|-----------------|--------------|
| 5 | 0 | 1 | 0 | 2 | 0 | 2 | 0 |
| 10 | 0 | 1 | 0 | 2 | 0 | 2 | 0 |
| 15 | 0 | 1 | 0 | 2 | 0 | 3 | 0 |
| 20 | 0 | 2 | 0 | 2 | 0 | 3 | 0 |
| 25 | 0 | 2 | 0 | 3 | 0 | 4 | 0 |
| 30 | 0 | 2 | 0 | 3 | 0 | 4 | 0 |
| 35 | 0 | 3 | 0 | 4 | 0 | 5 | 0 |
| 40 | 0 | 3 | 0 | 4 | 0 | 5 | 0 |
| 45 | 0 | 3 | 0 | 5 | 0 | 6 | 0 |
| 50 | 0 | 4 | 0 | 5 | 0 | 6 | 0 |
| 55 | 0 | 4 | 0 | 5 | 0 | 7 | 0 |
| 60 | 0 | 4 | 0 | 5 | 0 | 8 | 0 |
| 65 | 0 | 5 | 0 | 6 | 0 | 9 | 0 |
| 70 | 0 | 5 | 0 | 6 | 0 | 10 | 0 |
| 75 | 0 | 6 | 0 | 7 | 0 | 11 | 0 |
| 80 | 0 | 6 | 0 | 7 | 0 | 12 | 0 |
| 85 | 0 | 6 | 0 | 7 | 0 | 13 | 0 |
| 90 | 0 | 6 | 0 | 7 | 0 | 14 | 0 |
| 95 | 0 | 7 | 0 | 8 | 0 | 15 | 0 |
| 100 | 0 | 7 | 0 | 8 | 0 | 16 | 0 |
| 105 | 0 | 7 | 0 | 9 | 0 | 17 | 0 |
| 110 | 0 | 8 | 0 | 9 | 0 | 18 | 0 |
| 115 | 0 | 8 | 0 | 9 | 0 | 19 | 0 |
| 120 | 0 | 8 | 0 | 10 | 0 | 20 | 0 |
| 125 | 0 | 9 | 0 | 10 | 0 | 21 | 0 |
| 130 | 0 | 9 | 0 | 11 | 0 | 22 | 0 |
| 135 | 0 | 9 | 0 | 11 | 0 | 23 | 0 |
| 140 | 0 | 10 | 0 | 11 | 0 | 24 | 0 |
| 145 | 0 | 10 | 1 | 0 | 1 | 25 | 0 |
| 150 | 0 | 10 | 1 | 0 | 1 | 26 | 0 |
| 155 | 0 | 10 | 1 | 0 | 1 | 27 | 0 |
| 160 | 0 | 11 | 1 | 1 | 1 | 28 | 0 |
| 165 | 0 | 11 | 1 | 1 | 1 | 29 | 0 |
| 170 | 0 | 11 | 1 | 1 | 1 | 30 | 0 |
| 175 | 0 | 11 | 1 | 2 | 1 | 31 | 0 |
| 180 | 0 | 11 | 1 | 2 | 1 | 32 | 0 |
| 185 | 0 | 1 | 0 | 1 | 2 | 33 | 0 |
| 190 | 1 | 0 | 1 | 2 | 1 | 34 | 0 |
| 195 | 1 | 0 | 1 | 3 | 1 | 35 | 0 |
| 200 | 1 | 0 | 1 | 3 | 1 | 36 | 0 |
| 205 | 1 | 1 | 1 | 3 | 1 | 37 | 0 |
| 210 | 1 | 1 | 1 | 4 | 1 | 38 | 0 |
| 215 | 1 | 1 | 1 | 4 | 1 | 39 | 0 |
| 220 | 1 | 1 | 1 | 4 | 1 | 40 | 0 |
| 225 | 1 | 2 | 1 | 4 | 1 | 41 | 0 |
| 230 | 1 | 2 | 1 | 5 | 1 | 42 | 0 |
| 235 | 1 | 2 | 1 | 5 | 1 | 43 | 0 |
| 240 | 1 | 2 | 1 | 5 | 1 | 44 | 0 |
| 245 | 1 | 3 | 1 | 6 | 1 | 45 | 0 |
| 250 | 1 | 3 | 1 | 6 | 1 | 46 | 0 |
| 255 | 1 | 3 | 1 | 6 | 1 | 47 | 0 |
| 260 | 1 | 3 | 1 | 6 | 1 | 48 | 0 |
| 265 | 1 | 3 | 1 | 6 | 2 | 49 | 0 |
| 270 | 1 | 3 | 1 | 6 | 2 | 50 | 0 |
| 275 | 1 | 3 | 1 | 6 | 2 | 51 | 0 |
| 280 | 1 | 3 | 1 | 7 | 2 | 52 | 0 |
| 285 | 1 | 4 | 1 | 7 | 2 | 53 | 0 |
| 290 | 1 | 4 | 1 | 7 | 2 | 54 | 0 |
| 295 | 1 | 4 | 1 | 7 | 2 | 55 | 0 |
| 300 | 1 | 4 | 1 | 7 | 2 | 56 | 0 |
| 305 | 1 | 4 | 1 | 7 | 2 | 57 | 0 |
| 310 | 1 | 4 | 1 | 8 | 2 | 58 | 0 |
| 315 | 1 | 4 | 1 | 8 | 2 | 59 | 0 |
| 320 | 1 | 4 | 1 | 8 | 2 | 60 | 0 |
| 325 | 1 | 5 | 1 | 8 | 2 | 61 | 0 |
| 330 | 1 | 5 | 1 | 8 | 2 | 62 | 0 |
| 335 | 1 | 5 | 1 | 8 | 2 | 63 | 0 |
| 340 | 1 | 5 | 1 | 8 | 2 | 64 | 0 |
| 345 | 1 | 5 | 1 | 8 | 2 | 65 | 0 |
| 350 | 1 | 5 | 1 | 9 | 2 | 66 | 0 |
| 355 | 1 | 5 | 1 | 9 | 2 | 67 | 0 |
| 360 | 1 | 5 | 1 | 9 | 2 | 68 | 0 |

GALVANIZED IRON.

Per Sheet.

| Miles | 5 ft. | 6 ft. | 7 ft. | 8 ft. | 9 ft. | 10 ft. | Per Ton. |
|-------|-------|-------|-------|-------|-------|--------|----------|
| 5 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| 10 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| 15 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| 20 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| 25 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| 30 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| 35 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| 40 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| 45 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| 50 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| 55 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| 60 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| 65 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| 70 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| 75 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| 80 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| | | | | | | | |

MOORE'S COASTAL FREIGHT LIST.

| FLOORINGS, LININGS, WEATHERBOARDS, &c. | | | | | | | | | | | | GALVANIZED IRON. | | | | | | | | | | | |
|--|-----|--------|-----|--------|-----|--------|---|--------|---|-------|---|--------------------------|-------|--------|-------|--------|-------|--------|---------|----------------------|---|--------|---|
| WHITE. Per 100 ft. Lineal. | | | | | | | | | | | | RED. Per 100 ft. Lineal. | | | | | | | | | | | |
| | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | | 5 ft. | 6 ft. | 7 ft. | 8 ft. | 9 ft. | 10 ft. | Per Ton | Fencing Wire per cu. | | | |
| | x | x | x | x | x | x | x | x | x | x | x | Weatherboards | x | x | x | x | x | x | x | x | x | | |
| | 3/8 | 1/2 | 5/8 | 3/4 | 7/8 | 1 1/8 | | | | | | 3/8 | 1/2 | 5/8 | 3/4 | 7/8 | 1 1/8 | | | | | | |
| Apollo B. | 0 | 8 | 0 | 10% | 1 | 1 1/2 | 1 | 4 | 1 | 7 | 0 | 1 | 0 1/4 | 0 | 8 | 0 | 10% | 1 | 4 | 1 | 7 | 0 | |
| B'dale | 0 | 7 | 0 | 7 1/2 | 0 | 9 1/2 | 0 | 11 1/2 | 1 | 1 1/2 | 1 | 5 1/2 | 0 | 9 | 0 | 7 | 0 | 7 1/2 | 0 | 9 1/2 | 0 | 11 1/2 | 0 |
| Chame | 0 | 7 | 0 | 9 1/2 | 0 | 11 1/2 | 1 | 2 | 1 | 4 1/2 | 1 | 9 | 0 | 10 1/4 | 0 | 7 | 0 | 9 1/2 | 0 | 11 1/2 | 1 | 2 | 1 |
| Cowes | 0 | 4 1/2 | 0 | 5 1/2 | 0 | 7 | 0 | 8 1/2 | 0 | 10 | 1 | 0 1/2 | 0 | 6 1/2 | 0 | 4 1/2 | 0 | 5 1/2 | 0 | 7 | 0 | 8 1/2 | 0 |
| Flinders | 0 | 4 1/2 | 0 | 5 1/2 | 0 | 7 | 0 | 8 1/2 | 0 | 10 | 1 | 0 1/2 | 0 | 6 1/2 | 0 | 4 1/2 | 0 | 5 1/2 | 0 | 7 | 0 | 8 1/2 | 0 |
| Geelong | 0 | 1 1/2 | 0 | 2 1/2 | 0 | 3 | 0 | 4 1/2 | 0 | 5 1/2 | 0 | 2 1/2 | 0 | 3 | 0 | 4 1/2 | 0 | 5 1/2 | 0 | 2 1/2 | 0 | 3 | 0 |
| Inverloch | 0 | 5 1/2 | 0 | 7 1/2 | 0 | 9 1/2 | 0 | 11 | 1 | 1 1/2 | 1 | 4 1/2 | 1 | 9 | 0 | 10 1/4 | 0 | 8 | 0 | 9 1/2 | 0 | 11 | 1 |
| Lorne | 0 | 8 | 0 | 10 1/2 | 1 | 1 1/2 | 1 | 4 | 1 | 7 | 2 | 0 | 1 | 0 1/2 | 0 | 8 | 0 | 10 1/2 | 1 | 1 1/2 | 1 | 4 | 1 |
| Metung | 0 | 8 | 0 | 10% | 1 | 1 1/2 | 1 | 4 | 1 | 7 | 2 | 0 | 1 | 0 1/4 | 0 | 8 | 0 | 10% | 1 | 1 1/2 | 1 | 4 | 1 |
| Mossife | 0 | 11 | 0 | 11 1/2 | 1 | 6 1/2 | 1 | 11 | 2 | 1 1/2 | 2 | 8 1/4 | 1 | 4 1/2 | 0 | 11 | 0 | 11 1/2 | 1 | 6 1/2 | 1 | 11 | 2 |
| Paynes | 0 | 8 | 0 | 10 1/2 | 1 | 1 1/2 | 1 | 4 | 1 | 7 | 2 | 0 | 1 | 0 1/4 | 0 | 8 | 0 | 10 1/2 | 1 | 1 1/2 | 1 | 4 | 1 |
| Port Al. | 0 | 7 1/2 | 0 | 10 1/2 | 1 | 1 1/2 | 1 | 3 1/2 | 1 | 6 1/4 | 1 | 11 1/4 | 0 | 11 | 0 | 7 1/2 | 0 | 10 1/2 | 1 | 1 1/2 | 1 | 3 1/2 | 1 |
| P'rlng'n | 0 | 2 1/2 | 0 | 3 1/2 | 0 | 4 | 0 | 4 1/2 | 0 | 5 1/2 | 0 | 7 | 0 | 3 1/2 | 0 | 2 1/2 | 0 | 3 1/2 | 0 | 4 | 0 | 5 1/2 | 0 |
| Pt. C'bell | 0 | 9 1/2 | 1 | 0 1/2 | 1 | 3 1/2 | 1 | 7 1/2 | 1 | 9 1/2 | 0 | 2 1/2 | 0 | 3 1/2 | 1 | 2 | 0 | 9 1/2 | 1 | 0 1/2 | 1 | 3 1/2 | 1 |
| Pt. Fair'y | 0 | 5 1/2 | 0 | 7 1/2 | 0 | 9 1/2 | 0 | 11 1/2 | 1 | 1 1/2 | 1 | 5 | 0 | 8 1/2 | 0 | 5 1/2 | 0 | 7 1/2 | 0 | 9 1/2 | 0 | 11 1/2 | 1 |
| Portland | 0 | 6 1/2 | 0 | 8 | 0 | 10 1/2 | 1 | 0 1/2 | 1 | 3 | 1 | 7 | 0 | 9 1/2 | 0 | 6 1/2 | 0 | 8 | 0 | 10 1/2 | 1 | 0 1/2 | 1 |
| Portsea | 0 | 3 1/2 | 0 | 4 1/2 | 0 | 5 1/2 | 0 | 7 | 0 | 8 1/4 | 0 | 10 1/2 | 0 | 5 1/2 | 0 | 3 1/2 | 0 | 4 1/2 | 0 | 5 1/2 | 0 | 7 | 0 |
| Pound C. | 0 | 8 | 0 | 10 1/2 | 1 | 1 1/2 | 1 | 4 | 1 | 7 | 2 | 0 | 1 | 0 1/2 | 0 | 8 | 0 | 10 1/2 | 1 | 1 1/2 | 1 | 4 | 1 |
| P'lett R. | 0 | 4 1/2 | 0 | 5 1/2 | 0 | 7 | 0 | 8 1/2 | 0 | 10 | 1 | 0 1/2 | 0 | 6 1/2 | 0 | 4 1/2 | 0 | 5 1/2 | 0 | 7 | 0 | 8 1/2 | 0 |
| Q'scillif | 0 | 3 1/2 | 0 | 4 1/2 | 0 | 5 1/2 | 0 | 7 | 0 | 8 1/4 | 0 | 10 1/2 | 0 | 5 1/2 | 0 | 3 1/2 | 0 | 4 1/2 | 0 | 5 1/2 | 0 | 7 | 0 |
| Rye | 0 | 3 1/2 | 0 | 4 1/2 | 0 | 5 1/2 | 0 | 7 | 0 | 8 1/4 | 0 | 10 1/2 | 0 | 5 1/2 | 0 | 3 1/2 | 0 | 4 1/2 | 0 | 5 1/2 | 0 | 7 | 0 |
| Sale | 0 | 9 1/2 | 1 | 0 1/2 | 1 | 3 1/2 | 1 | 6 1/2 | 1 | 10 | 2 | 4 1/2 | 1 | 24 | 0 | 9 1/2 | 1 | 0 1/2 | 1 | 3 1/2 | 1 | 6 1/2 | 1 |
| San Remo | 0 | 4 1/2 | 0 | 5 1/2 | 0 | 7 | 0 | 8 1/2 | 0 | 10 | 1 | 0 1/2 | 0 | 6 1/2 | 0 | 4 1/2 | 0 | 5 1/2 | 0 | 7 | 0 | 8 1/2 | 0 |
| Sorrento | 0 | 3 1/2 | 0 | 4 1/2 | 0 | 5 1/2 | 0 | 7 | 0 | 8 1/4 | 0 | 10 1/2 | 0 | 5 1/2 | 0 | 3 1/2 | 0 | 4 1/2 | 0 | 5 1/2 | 0 | 7 | 0 |
| S. L'ards | 0 | 4 1/2 | 0 | 6 1/2 | 0 | 7 | 0 | 9 1/2 | 0 | 11 | 1 | 2 | 0 | 7 | 0 | 4 1/2 | 0 | 6 1/2 | 0 | 7 | 0 | 9 1/2 | 0 |
| Tar'is R. | 0 | 10 1/2 | 1 | 2 1/2 | 1 | 6 | 1 | 8 1/2 | 0 | 11 | 2 | 1 1/2 | 1 | 8 | 0 | 10 1/2 | 1 | 2 1/2 | 1 | 6 | 1 | 8 1/2 | 0 |
| W'mbrol | 0 | 5 1/2 | 0 | 7 1/2 | 0 | 9 1/2 | 0 | 11 1/2 | 1 | 1 1/2 | 1 | 5 | 0 | 8 1/2 | 0 | 5 1/2 | 0 | 7 1/2 | 0 | 9 1/2 | 0 | 11 1/2 | 1 |
| M'nton | 0 | 3 1/2 | 0 | 4 1/2 | 0 | 5 1/2 | 0 | 7 | 0 | 8 1/4 | 0 | 10 1/2 | 0 | 5 1/2 | 0 | 3 1/2 | 0 | 4 1/2 | 0 | 5 1/2 | 0 | 7 | 0 |
| Dr'n'a | 0 | 3 1/2 | 0 | 4 1/2 | 0 | 5 1/2 | 0 | 7 | 0 | 8 1/4 | 0 | 10 | 0 | 5 1/2 | 0 | 3 1/2 | 0 | 4 1/2 | 0 | 5 1/2 | 0 | 7 | 0 |
| Rosebud | 0 | 3 1/2 | 0 | 4 1/2 | 0 | 5 1/2 | 0 | 7 | 0 | 8 1/4 | 0 | 10 1/2 | 0 | 5 1/2 | 0 | 3 1/2 | 0 | 4 1/2 | 0 | 5 1/2 | 0 | 7 | 0 |
| War Bay | 0 | 5 1/2 | 0 | 7 1/2 | 0 | 9 1/2 | 0 | 11 | 1 | 0 1/2 | 1 | 4 1/2 | 0 | 8 3/4 | 0 | 5 1/2 | 0 | 7 1/2 | 0 | 9 1/2 | 0 | 11 | 1 |

USEFUL INFORMATION.

BALTIC.

Approximate weight running feet to a ton.

| | | | |
|------------------------|------|-----|-----------|
| 6 x 1 1/2 T & G White, | 1600 | ... | Red, 1000 |
| 6 x 1 1/2 .. | 2100 | ... | 2000 |
| 6 x 2 1/2 .. | 2500 | ... | 2300 |
| 6 x 3 1/2 .. | 2950 | ... | 2650 |
| 6 x 4 1/2 .. | 3850 | ... | 3350 |
| 6 x 5 1/2 .. | 4650 | ... | 4200 |
| Weatherboards | 3500 | ... | 3200 |

Bricks, 3 1/2 tons to 1000.

Lime, 13 bags to a ton.

Cement, 3 1/2 cwt. to 1 cask.

Approximate super feet to a ton.

Oregon, 750 feet.

Hardwood, 360 feet.

Jarrah, 360 ..

Chimneys—about 1000 bricks, 1 1/2 bags of lime, and 1 load of sand are required for a single chimney. And 2000 bricks, 3 1/2 bags of lime, and 1 1/2 loads of sand, to a double.

Lath and Plaster—100 square yards requires 4 bags of lime, 3 yards of sand, 16 bundles 4.6 American Laths, 8 lbs. 1 1/2 in. nails, 1 bag of hair.


Laths—a bundle of 4.6 American covers 6 1/2 square yards. A bundle of 4.6 Ceiling Laths covers 5 square yards.

Wallpaper is made in rolls 12 yards long, 21 inches wide.

Nails—1 lb. 2in. brads, 1 1/2 lbs. 2 1/2 in., 2 lbs.

2 1/2 in. to every 100 feet of flooring, allow 1 1/2 lbs. 1 1/2 in. nails to 100 feet of lining, 1 lb. 2 in. nails to 300 feet of weatherboards.

Paint—1 gallon mixed weighs 18 to 20 lbs., and will cover from 40 to 50 square yards 1 coat according to surface.



Digitized by:



ASSOCIATION
FOR
PRESERVATION
TECHNOLOGY,
INTERNATIONAL
www.apti.org
Australasia Chapter

**BUILDING
TECHNOLOGY
HERITAGE
LIBRARY**

<https://archive.org/details/buildingtechnologyheritagelibrary>

from the collection of:

Miles Lewis, Melbourne

funding provided by:

the Vera Moore Foundation, Australia

